

Work Order	Description	Work Location	Status	Reported Date
89661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard End Approach Mismatch Trk 11 CM362	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
- 2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
- 2015067	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	07/22/15 07:53:36 AM
- 2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	07/24/15 04:31:38 PM
- 2017975	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	FAIL	07/24/15 04:56:11 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
51507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
- 2017968	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	07/24/15 04:51:30 PM
- 2017794	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	APPR	07/24/15 12:06:37 PM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM
717962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM

2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2110983	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	10/02/15 04:15:53 AM
2111003	Tri-Monthly Yard SWINSP Track 5,6,7,9,11,12		WSCH	10/02/15 04:16:18 AM

Work Order Tracking (Tr)

Bulletins: (1) Go T

Find Work Order

Select Action

List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2120682

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

Work Type: PM

Status: APPR

Status Date: 10/10/15 06:00:59 AM

Reported By: MTACRON >>

Phone:

Reported Date: 10/09/15 04:21:25 AM

On Behalf Of: >>

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

Formatted Address:

Street Address:

City:

State/Province:

WEEKLY TRACK INSPECTION REPORT

Name A. SIEFFERTSON W. GREENWOOD Date 10-17-15 Page 1 of 1

Inspected From YARD WEST To YARD EAST TRK ALL **WO#** **2120682**

[illegible]

COMMENTS

[illegible]

[Signature]
Track Inspector Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
21276	YARD Mismatch 3rd Rail End Approach Trk 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard End Approach Mismatch Trk 11 CM362	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2122224	YARD Flatened Running Rail Sw 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2122222	YARD Flatened Head on Stock Rail Sw101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2122221	YARD Flatened out Head on Running Rail Sw.103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2122219	YARD Flatened Head on Stock Rail Sw.103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2015067	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	07/22/15 07:53:36 AM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	07/24/15 04:31:38 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2017975	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 SW 107	WABYARDSW107	FAIL	07/24/15 04:56:11 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2017968	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW 123	WABYARDSW123	FAIL	07/24/15 04:51:30 PM
2017794	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	APPR	07/24/15 12:06:37 PM
2122230	YARD Side worn Rail 29 degrees Trk 11E	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
201567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM

2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2110983	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	10/02/15 04:15:53 AM
2120693	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		WSCH	10/09/15 04:21:33 AM
2120682	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	10/09/15 04:21:25 AM
2111003	Tri-Monthly Yard SWINSP Track 5,6,7,9,11,12		COMP	10/02/15 04:16:18 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2129334

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

Work Type: PM

Status: APPR

Status Date: 10/17/15 09:32:01 AM

Reported By: MTACRON >>

Phone:

Reported Date: 10/16/15 04:17:03 AM

On Behalf Of: >>

Constst: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

Formatted Address:

Street Address:

City:

State/Province:



WEEKLY TRACK INSPECTION REPORT

Name ALVIN JEFFERSON GREENWALD Date 10-23-15 Page 1 of 1


Inspected From YARD WEST To YARD EAST TRK ALL WO# 2129334

[illegible]

COMMENTS

[illegible]


Track Inspector Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
21276	YARD Mismatch 3rd Rail End Approach Trk 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard End Approach Mismatch Trk 11 CM362	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under U YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+2	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2122224	YARD Flatened Running Rail Sw 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2122222	YARD Flatened Head on Stock Rail Sw101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 10	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2122221	YARD Flatened out Head on Running Rail Sw.103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2122219	YARD Flatened Head on Stock Rail Sw.103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	FAIL	07/24/15 04:31:38 PM
205067	YARD E Curved Closure Rail Side Worn (25 Deg) YD 11 SW 107	WABYARDSW107	WMATL	07/22/15 07:53:36 AM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2017975	YARD E Switch Point/Running Rail Side Worn (31 deg) YD 11 S	WABYARDSW107	FAIL	07/24/15 04:56:11 PM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2017794	YARD E Rail Side Worn YD 12 (Near Sig 122) (26 deg)	WABYARDSW123	COMP	07/24/15 12:06:37 PM
2017968	YARD E Switch Point/Closure/Running Rail Side Worn (29 Deg) SW123	WABYARDSW123	COMP	07/24/15 04:51:30 PM
2122230	YARD Side worn Rail 29 degrees Trk 11E	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127A	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
201562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2120682	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	10/09/15 04:21:25 AM
2120693	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		WSCH	10/09/15 04:21:33 AM
2129334	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	10/16/15 04:17:03 AM

Work Order Tracking (Tr)

Bulletins: (2) Go To

Find Work Order

Select Action

List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2141211

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 10/29/15 08:44:32 AM

Reported By: MTACRON

Phone:

Reported Date: 10/23/15 04:18:50 AM

On Behalf Of:

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>

Formatted Address:

Street Address:

City:

State/Province:

Name A JEFFERSON W GREENWOOD Date 10/28/2015 Page 1 of 1

[illegible][illegible]


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
21276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90 ✓	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard End Approach Mismatch YD 11 362+00 ✓	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2134470	Yard 10' Coverboard Missing 344+80 Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
213802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	COMP	07/24/15 04:31:38 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
214924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2120693	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		WSCH	10/09/15 04:21:33 AM
2141211	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	10/23/15 04:18:50 AM

Work Order Tracking (Tr)

Bulletins: (1) [Go To](#)

Find Work Order



Select Action



List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2152998

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: »

Alias:

Location: CHAIN_MARK » Metro Chain Markers

Work Location: »

Work Type: PM

Status: APPR

Status Date: 11/03/15 11:38:49 PM

Reported By: MTACRON »

Phone:

Reported Date: 10/30/15 04:16:49 AM

On Behalf Of: »

Consist: »

Asset Details

Year:

Manufacturer: »

Model: »

Serial #:

Type: »

Status:

Asset Condition:

Address Information

Service Address: »

City:

Formatted Address:

State/Province: »

Street Address: »

WEEKLY TRACK INSPECTION REPORT

Name J. Chase, R. Nelson Date 11-7-15 Page 1 of 1

Inspected From	YARD WEST	To	YARD EAST	TRK	ALL	WO#	2152998
----------------	-----------	----	-----------	-----	-----	-----	---------

[illegible]

COMMENTS

[illegible]


Track Inspector Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2134470	Yard 10 Coverboard Missing 344+80. Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
213802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	COMP	07/24/15 04:31:38 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
213930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27- 31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28- 30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2120693	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		APPR	10/09/15 04:21:33 AM
2152998	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	10/30/15 04:16:49 AM

Work Order Tracking (Tr)

Bulletins: (2) Go To

Find Work Order



Select Action



List Work Order Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2163875

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO



Classification Description: MTA - METRO

Asset: >>



Alias:

Location: CHAIN_MARK >> Metro Chain Markers



Work Location: >>



* Work Type: PM

Status: APPR

Status Date: 11/07/15 03:17:48 PM

Reported By: MTACRON



Phone:

Reported Date: 11/06/15 04:16:02 AM



On Behalf Of:



Consist: >>



Asset Details

Year:

Manufacturer: >>



Model: >>

Serial #:

Type: >>

Status:

Asset Condition:

Address Information

Service Address: >>



City:

Formatted Address:

State/Province:



Street Address:



Name Alchin, Nelson, Chase Date 11-12-15 Page 1 of 1

[illegible]

1. 3 bolts loose in T.J. stock rail ends 167B & 165
2. Running rail head flattened out on turnout side
3. Severe mismatch on end approach


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
2121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65.	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2134470	Yard 10' Coverboard Missing 344+80 Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
212221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	COMP	07/24/15 04:31:38 PM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
203930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2163875	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	11/06/15 04:16:02 AM
2120693	Tri-Monthly Yard SWINSP Track 13,14,15,MM,OM,PO,OC		INPRG	10/09/15 04:21:33 AM
2152998	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	10/30/15 04:16:49 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order

Select Action

List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2176066

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location:

* Work Type: PM

Status: APPR

Status Date: 11/13/15 06:57:50 AM

Reported By: MTACRON

Phone:

Reported Date: 11/13/15 04:17:32 AM

On Behalf Of:

Consist:

Asset Details

Year:

Manufacturer:

Model:

Serial #:

Type:

Status:

Asset Condition:

Address Information

Service Address:

City:

Formatted Address:

State/Province:

WEEKLY TRACK INSPECTION REPORT

Name J. Brockmeyer D. BYRO Date 11-16-15 Page 1 of 1


Inspected From	YARD WEST	To	YARD EAST	TRK	ALL	WO#	2176066
----------------	-----------	----	-----------	-----	-----	-----	---------

[illegible]

COMMENTS

[illegible]

Joseph Broder / Daniel Bly
Track Inspector Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
2121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2134470	Yard 10' Coverboard Missing 344+80 Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
213802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	COMP	07/24/15 04:31:38 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 111	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
214924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27- 31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2083466	YARD Heel Block Bolt Missing 12-1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28- 30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2163875	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	11/06/15 04:16:02 AM
2176066	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	11/13/15 04:17:32 AM

Work Order Tracking (Tr)

BMXAA4591I - Status change(s) completed successfully.

Bulletins: (1)

Go To

Find Work Order

Select Action

[List](#) [Work Order](#) [Plans](#) [Actuals](#) [Activities](#) [Measurements](#) [Axle Configuration](#) [Related Records](#) [Safety Plan](#) [Log](#) [Failure Reporting](#)

Work Order: 2184598

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN_MARK Metro Chain Markers

Work Location:

* Work Type: PM

Status: APPR

Status Date: 11/27/15 07:31:42 AM

Reported By: MTACRON

Phone:

Reported Date: 11/20/15 04:17:04 AM

On Behalf Of:

Consist:

Asset Details

Year:

Manufacturer:

Model:

Serial #:

Type:

Status:

Asset Condition:

Address Information

Service Address:

City:

Formatted Address:

State/Province:

WEEKLY TRACK INSPECTION REPORT

Name A. Jefferson, W. Greenwood Date 11/27/15 Page 1 of 1


Inspected From	<u>YARD WEST</u>	To	<u>YARD EAST</u>	TRK	<u>ALL</u>	WO#	2184598
----------------	------------------	----	------------------	-----	------------	------------	----------------

[illegible]

COMMENTS

[illegible]

Alvin J. Goffman
Track Inspector Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
21276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2134470	Yard 10' Coverboard Missing 344+80 Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
22221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2017960	YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107	WABYARDSW107	COMP	07/24/15 04:31:38 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stk.RL./ Sw.Pt. Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (7) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2083466	YARD Heel Block Bolt Missing ^{1 1/2"} 12 1/2" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2184598	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		INPRG	11/20/15 04:17:04 AM
2191812	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		WSCH	11/27/15 04:13:23 AM

Work Order Tracking (Tr)

Bulletins: (2) Go To

Find Work Order

Select Action



List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2191812

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: »

Alias:

Location: CHAIN_MARK » Metro Chain Markers

Work Location: »

Work Type: PM

Status: APPR

Status Date: 12/03/15 06:33:44 AM

Reported By: MTACRON »

Phone:

Reported Date: 11/27/15 04:13:23 AM

On Behalf Of: »

Consist: »

Asset Details

Year:

Manufacturer: »

Model: »

Serial #: »

Type: »

Status:

Asset Condition:

Address Information

Service Address: »

City:

Formatted Address:

State/Province: »

[Handwritten signature]

WEEKLY TRACK INSPECTION REPORT

Name CHASE, MIKE Date 12-5-15 Page 1 of 1

Inspected From YARD WEST To YARD EAST TRK ALL WO# 2191812

[illegible]

COMMENTS

[illegible]

Track Inspector Signature

Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2134470	Yard 10' Coverboard Missing 344+80 Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2017960	* YARD E LH Stock Rail Side Worn (30 deg) YD 11 SW 107 ?	WABYARDSW107	COMP	07/24/15 04:31:38 PM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stk.RL./ Sw.Pt. Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2017790	YARD E Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (H) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
14924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM

2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2083466	YARD Heel Block Bolt Missing 14" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2184598	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		COMP	11/20/15 04:17:04 AM
2191812	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	11/27/15 04:13:23 AM

Work Order	Description	Work Location	Status	Reported Date
2053301	1 JHRA LH Switch Point Chipped / Pitted CC 3B	004WSWCC3B	MONITOR	08/20/15 07:59:08 AM
2053299	1 JHRA RH Switch Point Chipped / Pitted CC 3B	004WSWCC3B	MONITOR	08/20/15 07:55:47 AM
2017699	1 JHRA 3rd Rail Side Approach Hardware Missing CC 1B 007+50	007E	APPR	07/24/15 09:01:09 AM
1043301	1 JHRA Switch Point Side Worn CC 1B 007+65W	007WSWCC1B	REVIEW	04/17/13 07:19:13 AM
2117413	1 JHRA Adjustable Brace Loose CC 1B 007+55W	007WSWCC1B	APPR	10/07/15 06:19:37 AM
2117411	1 JHRA Shoulder Bolt Loose CC 1B 007+40W	007WSWCC1B	APPR	10/07/15 06:12:35 AM
2041943	1 JHRA Closure Rail Chipped 3/4' x 1 1/4" (N) CC 1B 007+50W	007WSWCC1B	MONITOR	08/11/15 02:59:16 PM
2015112	1 JHRA Coverboard Missing 10' CC 007+10W	007WSWCC1B	WMATL	07/22/15 08:38:35 AM
2030690	1 JHRA N. Rail Top Worn/Pitted/Corrogation 012W-024W	012W	COMP	08/03/15 06:05:57 AM
2043305	1 JHRA Two Block Tie Deteriorating (N) 013+85E	013E	MONITOR	08/12/15 03:07:39 PM
2087957	1 JHRA Two Block Tie Broken/Unsupported 013+60W	013W	APPR	09/16/15 07:38:35 AM
2043299 ✓	1 JHRA Two Block Tie Deteriorating (N) 015+75E	015E	MONITOR	08/12/15 03:03:16 PM
2013812	1 JHRA Fastener Pad Cracked/Broken (6) 018+60W	018W	HOLD	07/21/15 12:10:23 PM
2015100	1 JHRA Coverboard Broken / Bracket Missing 036+65E	036E	APPR	07/22/15 08:15:11 AM
2106086	1 JHRA Drain Clogged/Fouled (600') 053W-059W	053W	APPR	09/30/15 07:26:22 AM
2106077	1 JHRA Rail Corrugation/Pitted/Gouged (S) 053W-059W	053W	MONITOR	09/30/15 07:21:19 AM
2106032	1 JHRA Bad Lord Pads / Gauge Rods Installed 062E - 057E	062E	MONITOR	09/30/15 06:13:49 AM
2014067	1 JHRA Brace Plate Wedge Missing BH 3B 066+60W	066WSWBH3B	APPR	07/21/15 03:42:15 PM
2030698	1 JHRA IJ Battered BH-3B 066+80W	066WSWBH3B	APPR	08/03/15 06:16:38 AM
2013865	1 JHRA Restraining Rail IJ Bolts Loose 067+70E	067ESWJH1B	APPR	07/21/15 01:07:32 PM
2033296	1 JHRA Curve Closure Rail Chipped 067+60E JH 1B	067ESWJH1B	MONITOR	08/05/15 03:16:44 PM
2080337	1 JHRA 3rd Rail Severely Corroded 068+70 - 068+90	068W	APPR	09/10/15 07:56:55 AM
2030720	1 JHRA IJ Battered BH 1B 069+35W	069WSWBH1B	APPR	08/03/15 06:40:43 AM
2030709	1 JHRA Switch Point Chipped BH-1B 069+30W	069WSWBH1B	MONITOR	08/03/15 06:34:06 AM
2059899	1 JHRA Frog Riser Cracked JH 3B	070ESWJH3B	APPR	08/26/15 05:42:36 AM
2015104	1 JHRA Coverboard Missing 069+10E - 068+40E	070ESWJH3B	WMATL	07/22/15 08:28:23 AM
2106039	1 JHRA 4 Gauge Rods / 2 Block Ties 071W - 071+15	071W	MONITOR	09/30/15 06:34:11 AM
2015107	1 JHRA Coverboard Missing (60') 078W	078W	WMATL	07/22/15 08:31:45 AM
2106102	1 JHRA Coverboard Bracket Broken 107+15	107W	APPR	09/30/15 07:30:42 AM
2106107	1 JHRA Station Concrete Wall/Ceiling Cracked 107+80	107W	MONITOR	09/30/15 07:33:39 AM
2166234	1 JHRA tight gage at cm#134+05 (56") (Holland Report) URGENT	134W	INPRG	11/09/15 03:07:44 AM
2014921	1 JHRA Insulator Cup Burnt (4) 140+70 -140+90	140W	APPR	07/22/15 05:41:56 AM
2015388	1 JHRA 3rd Rail Corroded 141+00	141W	APPR	07/22/15 02:54:07 PM
2015378	1 JHRA Rail Web/Base Deteriorated (S) 141+00	141W	APPR	07/22/15 02:44:48 PM
2166236	1 JHRA tight gage at cm#143+54 (56") (Holland Report) URGENT	143W	INPRG	11/09/15 03:14:57 AM
2106112	1 JHRA 3rd Rail Unseated/Out of Insulator Cups 148+00	148W	APPR	09/30/15 07:38:06 AM
2106121	1 JHRA Rail Web/Base Corroded (N) 151+50	151W	MONITOR	09/30/15 07:47:48 AM
2106126	1 JHRA Rail Web/Base Corroded (N) 154-165	154W	APPR	09/30/15 07:51:23 AM
2106133	1 JHRA Two Block Tie Broken 157+30	157W	APPR	09/30/15 07:57:51 AM
2051473	1 JHRA 3rd Rail Deteriorated 158 -166+00	158W	MONITOR	08/19/15 07:34:44 AM
2015102	1 JHRA Coverboard Missing (60') 158 -158+60	158W	WMATL	07/22/15 08:19:25 AM
2087964	1 JHRA Running Rail Deteriorated (S) 164 -165	160W	MONITOR	09/16/15 07:42:56 AM
2106138	1 JHRA Two Block Tie Broken 161+25	161W	APPR	09/30/15 08:01:21 AM
2013778	1 JHRA Water Condition/Pandrol Clips Broken 161-165	162W	HOLD	07/21/15 11:45:13 AM
2015114	1 JHRA Coverboard Missing (70') 162-162+50 & 162+70-162+90	162W	WMATL	07/22/15 08:42:01 AM
2061165	1 JHRA Coverboard Missing 184-186	186W	WMATL	08/27/15 07:52:38 AM

2015101	1 JHRA Coverboard Brackets Missing 194+90 & 195+25	195W	APPR	07/22/15 08:17:16 AM
2043013	1 JHRA Rail Corrugation (N) 202 - 214+00	202W	MONITOR	08/12/15 07:55:00 AM
2058584	1 JHRA Track Bolt Loose/ Worn (Replace) 229+95	229W	APPR	08/25/15 06:40:59 AM
2017696	1 JHRA Guard Rail Screw Spikes Missing PO 3B	229WSWPO3B	APPR	07/24/15 08:54:29 AM
2041954	1 JHRA RH Switch Point Wheel Burns PO 3B 229	229WSWPO3B	MONITOR	08/11/15 03:06:34 PM
2017678	1 JHRA Adjustable Brace Plate Missing 229+70 PO-3B	229WSWPO3B	APPR	07/24/15 08:18:26 AM
2014045	1 JHRA Interlocking Out of Surface PO 228-232+00	229WSWPO3B	HOLD	07/21/15 03:19:37 PM
2089704	1 JHRA Stock Rail Wheel Burns/Top Worn/Chipped PO 3B 229+10	229WSWPO3B	MONITOR	09/17/15 07:50:57 AM
2058572	1 JHRA Front Rod Nut Loose PO 3B 229+00	229WSWPO3B	APPR	08/25/15 06:33:08 AM
2017718	1 JHRA Insulated Joint Chipped (S) 230+90	230W	MONITOR	07/24/15 09:41:36 AM
2080383	1 JHRA Insulated Tie Plate Missing 230+15	230W	APPR	09/10/15 08:08:32 AM
2013748	1 JHRA Running Rail Wheel Burns (N) 230+00	230W	APPR	07/21/15 11:15:10 AM
2077038	1 JHRA #3 Switch Rod Striking Timber PO 1B 230+70	230WSWPO1B	APPR	09/08/15 03:56:49 PM
2050074	1 JHRA Frog Point/Riser Worn PO 1B	230WSWPO1B	APPR	08/18/15 04:32:57 AM
2017716	1 JHRA Guard Rail Screw Spikes Missing PO 1B	230WSWPO1B	APPR	07/24/15 09:34:45 AM
2030726	1 JHRA RH Stock Rail Wheel Burns PO 1B 230+90	230WSWPO1B	MONITOR	08/03/15 06:47:19 AM
2013746	1 JHRA Saddles Loose (5) Pandrols Missing PO1B	230WSWPO1B	APPR	07/21/15 11:07:57 AM
2021953	1 JHRA LB Foster Anchor Bolts Loose 235-332	235W	APPR	07/28/15 10:15:42 AM
2013893	1 JHRA Running Rail Wheel Burns (N/S) 234+90	235W	APPR	07/21/15 01:46:12 PM
2013741	1 JHRA Shim Plate Loose 237+50	237W	APPR	07/21/15 11:01:27 AM
2017722	1 JHRA LB Foster Plates Deteriorating 238 - 268	238W	APPR	07/24/15 09:46:52 AM
2013896	1 JHRA Gage Tight (56 3/8") 236 - 242+00	239W	APPR	07/21/15 01:49:09 PM
1042501	1 JHRA Rail Side Worn (N) (26-28 deg) 248 - 256+00	248W	REVIEW	04/16/13 03:18:04 PM
2030745	1 JHRA Shim Plate Missing 248+10W	248W	APPR	08/03/15 06:55:13 AM
2014064	1 JHRA Coverboard Brackets Bent 267+50 - 272	267W	APPR	07/21/15 03:40:25 PM
2030747	1 JHRA Rail Side Worn (22 Deg) 274+00	274W	MONITOR	08/03/15 06:59:44 AM

Work Order Tracking (Tr)

Bulletins: (1)

Go To

Find Work Order

Select Action

List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2201357

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset:

Alias:

Location: CHAIN_MARK Metro Chain Markers

Work Location:

Work Type: PM

Status: APPR

Status Date: 12/10/15 04:23:46 PM

Reported By: MTACRON

Phone:

Reported Date: 12/04/15 04:15:13 AM

On Behalf Of:

Consist:

Asset Details

Year:

Manufacturer:

Model:

Serial #:

Type:

Status:

Asset Condition:

Address Information

Service Address:

Formatted Address:

City:

State/Province:

WEEKLY TRACK INSPECTION REPORT

Name A. JEFFERSON W. GREENWOOD Date 12/11/15 Page 1 of 1


Inspected From YARD WEST To YARD EAST TRK ALL WO# 2201357

[illegible]

COMMENTS

[illegible]

[Signature]
Track Inspector Signature


Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
2121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2134470	Yard 10' Coverboard Missing 344+80 Sw 101	WABYARDSW101	APPR	10/21/15 05:33:15 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2134476	YARD 1 Broken Metal Coverboard Bracket 344+80 Sw101	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 11	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stk.RL./ Sw.Pt. Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E 3 Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (11) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM

2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2083466	YARD Heel Block Bolt Missing 14" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165 ✓	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2201357	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	12/04/15 04:15:13 AM

Work Order Tracking (Tr)

Bulletins: (1) Go To

Find Work Order

Select Action

List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2211024

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN_MARK >> Metro Chain Markers

Work Location: >>

* Work Type: PM

Status: APPR

Status Date: 12/12/15 01:28:01 PM

Reported By: MTACRON >>

Phone:

Reported Date: 12/11/15 04:15:40 AM

On Behalf Of: >>

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model: >>

Serial #: >>

Type: >>

Status: >>

Asset Condition:

Address Information

Service Address: >>

City:

Formatted Address:

State/Province: >>

WEEKLY TRACK INSPECTION REPORT

Name M. Alchini, W Greenwood, T Chase Date 12/18/15 Page 1 of 1

Inspected From YARD WEST To YARD EAST TRK ALL WO# 2211024

[illegible]

COMMENTS

[illegible]

Michael A. Alek

Track Inspector Signature



Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
2121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2134470	YARD 10' Coverboard Missing SW 101 344+80	WABYARDSW101	APPR	10/21/15 05:33:15 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2134476	YARD Broken Metal Coverboard Bracket SW 101 344+80	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 11	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stk.RL./ Sw.Pt. Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E 3 Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (11) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM
017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM

2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2083466	YARD Heel Block Bolt Missing 14" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2121272	YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2121254	YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2211024	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	12/11/15 04:15:40 AM

Work Order Tracking (Tr) Bulletins: (1) [Go To](#)

Find Work Order



Select Action



List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2219935

(YARD) METRO MOW WEEKLY TRACK INSPECTION WAL

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: »

Alias:

Location: CHAIN_MARK » Metro Chain Markers

Work Location: »

Work Type: PM

Status: APPR

Status Date: 12/18/15 12:16:14 PM

Reported By: MTACRON »

Phone:

Reported Date: 12/18/15 04:17:56 AM

On Behalf Of: »

Consist: »

Asset Details

Year:

Manufacturer: »

Model: »

Serial #:

Type: »

Status:

Asset Condition:

Address Information

Service Address: »

City:

Formatted Address:

State/Province: »

Name CHASE, WOODY Date 12-26-15 Page 1 of 1

[illegible][illegible]

Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
2121276	YARD 3rd Rail End Approach Mismatched YD 7 346+65	346W	APPR	10/09/15 03:02:12 PM
2089661	YARD Concrete Ties Cracked (2) YD 2 347+90	348W	APPR	09/17/15 07:28:35 AM
2111268	Yard 3rd Rail End Approach Mismatch YD 11 W 362+00	362W	APPR	10/02/15 08:18:54 AM
2083467	YARD Mono Block Tie Cracked Under IJ YD 15 366+80	366W	APPR	09/12/15 09:38:02 AM
2013754	YARD W Coverboard/Splice Plate YD 1 368+80	368W	APPR	07/21/15 11:25:42 AM
2014036	YARD W Out of Surface YD 1 369+20-366+70	369W	HOLD	07/21/15 03:12:37 PM
2044184	YARD W Yard Lead Rail Side Worn (S) YD 1 373+00-374+30	373W	MONITOR	08/13/15 06:03:20 AM
2013964	YARD E #1 Rod Nut Loose SW 101	WABYARDSW101	APPR	07/21/15 02:19:14 PM
2013969	YARD E Wide Gauge Ahead of Bend (Exceeds 57") SW 101	WABYARDSW101	APPR	07/21/15 02:23:13 PM
2014102	YARD E 3rd Anchor Clevis Pin/Cotter Pin Missing SW 101 334+20	WABYARDSW101	APPR	07/21/15 05:12:41 PM
2014138	YARD E Stock Rail Standard Joint Battered SW 101	WABYARDSW101	APPR	07/21/15 05:35:34 PM
2013921	YARD E Frog Pandrol Clips Missing (8) /Saddles Loose (4) SW 101	WABYARDSW101	APPR	07/21/15 02:06:10 PM
2017700	YARD E Standard Joint Mismatched SW 101 344+50	WABYARDSW101	APPR	07/24/15 09:05:54 AM
2017701	YARD E Standard Joint Mismatched YD 11 344+25	WABYARDSW101	APPR	07/24/15 09:09:04 AM
2041945	YARD E RH Stock Rail Side Worn (22 Deg) SW 101	WABYARDSW101	MONITOR	08/11/15 03:00:48 PM
2134470	YARD 10' Coverboard Missing SW 101 344+80	WABYARDSW101	APPR	10/21/15 05:33:15 AM
914431	YARD E Ties Cracked (3) YD 11 SW 101 344+20	WABYARDSW101	REVIEW	12/27/12 02:45:04 PM
2122222	YARD Stock Rail Top Worn SW 101 344+45-344+65	WABYARDSW101	MONITOR	10/10/15 05:29:31 AM
2122224	YARD Running Rail Top Worn SW 101 344+60 - 345+00	WABYARDSW101	MONITOR	10/10/15 05:37:47 AM
2134476	YARD Broken Metal Coverboard Bracket SW 101 344+80	WABYARDSW101	APPR	10/21/15 05:40:16 AM
2122219	YARD Stock Rail Top Worn SW 103 345-245+50	WABYARDSW103	MONITOR	10/10/15 05:11:46 AM
2013802	YARD E Closure Rail Insulated Plate Broken YD 3 SW 103	WABYARDSW103	APPR	07/21/15 12:01:44 PM
2122221	YARD Running Rail Top Worn SW 103	WABYARDSW103	MONITOR	10/10/15 05:22:15 AM
2017797	YARD E Concrete Tie Deteriorated YD 11 SW 107	WABYARDSW107	APPR	07/24/15 12:18:05 PM
2051507	YARD E Switch Point/Closure Rail Side Worn (25 Deg) YD 3 SW 11	WABYARDSW111	MONITOR	08/19/15 07:58:53 AM
2087975	YARD E Switch Point Chipped YD 3 SW 111	WABYARDSW111	MONITOR	09/16/15 07:53:39 AM
2017965	YARD E Stock/Switch Point/Closure/Frog Side Worn (29 Deg) YD 3 SW 113	WABYARDSW113	FAIL	07/24/15 04:47:33 PM
2017769	YARD E LH Stk.RL./ Sw.Pt. Side Worn (22 deg) YD 6 SW 117	WABYARDSW117	APPR	07/24/15 11:11:52 AM
2017767	YARD E LH Stock Rail Side Worn (22 deg) YD 6 SW 119	WABYARDSW119	APPR	07/24/15 11:10:14 AM
2122230	YARD E Rail Side Worn (29 deg) YD 11	WABYARDSW123	APPR	10/10/15 05:44:35 AM
2044232	YARD E Frog Point Battered YD 1 SW 127A	WABYARDSW127A	APPR	08/13/15 06:41:30 AM
914407	YARD E Switch Point/Running Rail Side Worn YD 1 SW 127 A CM 349	WABYARDSW127A	REVIEW	12/27/12 02:19:44 PM
2017790	YARD E 3 Concrete Tie Broken YD 1 SW 127A	WABYARDSW127A	APPR	07/24/15 11:41:50 AM
2013931	YARD E 3rd Rail Insulator Cup Missing YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 02:09:37 PM
2014158	YARD E Concrete Ties Broken (2) YD 2 SW 127B	WABYARDSW127B	APPR	07/21/15 06:08:34 PM
914439	YARD M Ties Cracked (11) YD 1 SW 129A CM 354	WABYARDSW129A	REVIEW	12/27/12 02:53:26 PM
2013809	YARD E Standard Joint Loose (N/R) YD 1 SW 133A	WABYARDSW133A	APPR	07/21/15 12:09:30 PM
2061567	YARD W Standard Joint Tack Bolt Missing YD 2 133B	WABYARDSW133B	APPR	08/27/15 03:17:08 PM
2014925	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 133B	WABYARDSW133B	APPR	07/22/15 05:52:17 AM
2061562	YARD W Standard Joint Track Bolts Missing (2) YD 1 135A	WABYARDSW135A	APPR	08/27/15 03:10:45 PM
2014924	YARD W Closure Rail Tie Saver Pad Mismatched YD 3 SW 137	WABYARDSW137	APPR	07/22/15 05:49:50 AM
2013930	YARD W 3rd Rail Approach Mismatch/Burnt SW 137	WABYARDSW137	APPR	07/21/15 02:09:33 PM
2013780	YARD W Standard Joint Loose Bolt (N) SW 139 363+00	WABYARDSW139	APPR	07/21/15 11:45:39 AM

2017962	YARD W Stock/Closure Rails/Switch Point Side Worn (32 Deg) YD 13 SW 139	WABYARDSW139	FAIL	07/24/15 04:35:02 PM
2051509	YARD W Switch Point Side Worn Yd 5 SW 141	WABYARDSW141	MONITOR	08/19/15 08:01:11 AM
2013961	YARD W Switch Point Side Worn YD 5 SW 143	WABYARDSW143	APPR	07/21/15 02:17:56 PM
2017961	YARD W LH Curve Stock Rail Side Worn (27 deg) YD 11 SW 151	WABYARDSW151	FAIL	07/24/15 04:33:06 PM
2014159	YARD W Curve Closure Side Worn (25 deg) YD 11 SW 151	WABYARDSW151	APPR	07/21/15 06:10:14 PM
914415	YARD W Switch Point Side Worn YD 11 SW 151	WABYARDSW151	REVIEW	12/27/12 02:34:20 PM
2038837	YARD W Standard Joint Bolt Loose YD 5 SW 161	WABYARDSW161	APPR	08/08/15 06:51:23 AM
2013936	YARD W #1 Frog Bolt Loose SW 161 363+40	WABYARDSW161	APPR	07/21/15 02:11:42 PM
2015370	YARD W Running Rail Top Worn SW 161	WABYARDSW161	APPR	07/22/15 02:39:12 PM
2014930	YARD W Closure Rail Tie Saver Pad Missing YD 2 SW 163	WABYARDSW163	APPR	07/22/15 05:59:54 AM
2013914	YARD W 3rd Rail Burnt/Mismatched SW 163	WABYARDSW163	APPR	07/21/15 02:01:10 PM
2044188	YARD W Rail Top Worn/Flattened Out (S) SW 165	WABYARDSW165B	MONITOR	08/13/15 06:13:47 AM
2017773	YARD W IJ/Stock Rail Side Worn (25 deg) SW 165	WABYARDSW165B	APPR	07/24/15 11:16:56 AM
2017742	YARD W IJ & End Post Battered/Rail Top Worn (S/R) SW 165	WABYARDSW165B	APPR	07/24/15 10:59:44 AM
2014136	YARD W Coverboard Bracket Bent YD 1 SW 167A	WABYARDSW167A	APPR	07/21/15 05:33:29 PM
2038844	YARD W Heel Block Bolt Loose SW 167A	WABYARDSW167A	APPR	08/08/15 07:03:40 AM
2017772	YARD W LH Stock Rail (31 deg) YD 1 SW 167A	WABYARDSW167A	APPR	07/24/15 11:15:09 AM
2013790	YARD W Self Guarded Frog Side Worn SW 167A	WABYARDSW167A	APPR	07/21/15 11:53:28 AM
2017973	YARD W Switch Point/Closure/Running Rail Side Worn (27-31 Deg) SW 167A	WABYARDSW167A	FAIL	07/24/15 04:54:52 PM
2083466	YARD Heel Block Bolt Missing 14" 167A	WABYARDSW167A	APPR	09/12/15 09:32:37 AM
2121254	✕ YARD 3 Bolts Loose in IJ on Stock Rails of 167B & 165	WABYARDSW167B	APPR	10/09/15 02:43:33 PM
2121272	✕ YARD 3 Frog Bolts Loose on Toe of Frog 167B	WABYARDSW167B	APPR	10/09/15 02:53:28 PM
2017963	YARD W Closure/Stock/Switch Point/Side Worn (28-30 Deg) YD 2 SW 167B	WABYARDSW167B	FAIL	07/24/15 04:37:09 PM
2051516	YARD W Running Rail Side Worn (33 deg) YD 15 SW 171A	WABYARDSW171A	MONITOR	08/19/15 08:02:51 AM
2089695	YARD W Switch Point Side Worn YD 1 171B	WABYARDSW171B	MONITOR	09/17/15 07:47:51 AM
2013920	YARD W 3rd Rail Mismatch YD 1 SW 171B	WABYARDSW171B	APPR	07/21/15 02:06:03 PM
2013817	YARD W Frog Point/Riser Worn YD 15 SW 19A	WABYARDSW19A	APPR	07/21/15 12:15:31 PM
2211024	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		INPRG	12/11/15 04:15:40 AM
2219965	Tri-Monthly Yard SWINSP Track 1		APPR	12/18/15 04:18:11 AM
2219935	(YARD) METRO MOW WEEKLY TRACK INSPECTION WALKING		APPR	12/18/15 04:17:56 AM